



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 23-002307/D006.R001  
**Report Date:** 04/03/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 02/27/23 11:29

This is an amended version of report# 23-002307/D006.R000.  
 Reason: Combine results with report 23-002839/D003.R000.

**Customer:**  
**Product identity:** Ultra Broad Spectrum CBD Distillate GVL-TST532  
**Client/Metric ID:** .  
**Laboratory ID:** 23-002307-0001

### Summary

**Potency:**

Analyte	Result (%)		
CBD	78.5		CBD-Total 78.5%
CBE	2.34		THC-Total <LOQ
CBT	1.91		(Reported in percent of total sample)
CBC	1.62		
CBN	0.984		
CBG	0.507		
CBDV	0.484		
CBL	0.222		

**Residual Solvents:**

All analytes passing and less than LOQ.

**Pesticides:**

All analytes passing and less than LOQ.

**Metals:**

Less than LOQ for all analytes.

**Microbiology:**

Less than LOQ for all analytes.



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 23-002307/D006.R001  
**Report Date:** 04/03/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 02/27/23 11:29


**Customer:**

**Product identity:** Ultra Broad Spectrum CBD Distillate GVL-TST532  
**Client/Metric ID:** .  
**Sample Date:**  
**Laboratory ID:** 23-002307-0001  
**Evidence of Cooling:** No  
**Temp:** 19.7  
**Relinquished by:** client

**Sample Results**

Potency **Method:** J AOAC 2015 V98-6 (mod)<sup>P</sup> **Units %** **Batch:** 2301844 **Analyze:** 2/28/23 11:12:00 PM

Analyte	As Received	Dry weight	LOQ	Notes
CBC	1.62		0.0726	
CBC-A	< LOQ		0.0726	
CBC-Total	1.62		0.136	
CBD	78.5		0.726	
CBD-A	< LOQ		0.0726	
CBD-Total	78.5		0.790	
CBDV	0.484		0.0726	
CBDV-A	< LOQ		0.0726	
CBDV-Total	0.484		0.136	
CBE	2.34		0.0726	
CBG	0.507		0.0726	
CBG-A	< LOQ		0.0726	
CBG-Total	0.507		0.136	
CBL	0.222		0.0726	
CBL-A	< LOQ		0.0726	
CBL-Total	0.222		0.136	
CBN	0.984		0.0726	
CBT	1.91		0.0726	
Δ10-THC-9R	< LOQ		0.0726	
Δ10-THC-9S	< LOQ		0.0726	
Δ10-THC-Total	< LOQ		0.145	
Δ8-THC	< LOQ		0.0726	
Δ8-THCV	< LOQ		0.0726	
Δ9-THC	< LOQ		0.0726	
exo-THC	< LOQ		0.0726	
THC-A	< LOQ		0.0726	
THC-Total	< LOQ		0.136	
THCV	< LOQ		0.0726	
THCV-A	< LOQ		0.0726	
THCV-Total	< LOQ		0.136	
<b>Total Cannabinoids</b>	<b>86.6</b>			



- CBD
- CBE
- CBT
- CBC
- CBN
- CBG
- CBDV
- CBL



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 23-002839/D003.R000  
**Report Date:** 04/03/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 03/09/23 00:00

**Customer:**

**Product identity:** Ultra Broad Spectrum CBD Distillate GVL-TST532  
**Client/Metric ID:** .  
**Sample Date:**  
**Laboratory ID:** 23-002839-0001  
**Evidence of Cooling:** No  
**Temp:** 25 °C

**Sample Results**

**Microbiology**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
E.coli	< LOQ		cfu/g	10	2302139	03/12/23 AOAC 991.14 (Petrifilm) <sup>P</sup>		
Total Coliforms	< LOQ		cfu/g	10	2302139	03/12/23 AOAC 991.14 (Petrifilm) <sup>P</sup>		
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2302140	03/12/23 AOAC 2014.05 (RAPID) <sup>P</sup>		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2302140	03/12/23 AOAC 2014.05 (RAPID) <sup>P</sup>		

**Solvents**

**Method:** Residual Solvents by GC/MS<sup>B</sup>

**Units** µg/g

**Batch** 2305352

**Analyze** 03/31/23 02:48 PM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 23-002839/D003.R000  
**Report Date:** 04/03/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 03/09/23 00:00

Pesticides											
Method: AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>											
Units mg/kg Batch 2305300 Analyze 03/29/23 01:08 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin <sup>‡</sup>	< LOQ	0.50	0.250	pass		Acephate <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Acequinocyl <sup>‡</sup>	< LOQ	2.0	1.00	pass		Acetamidiprid <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Aldicarb <sup>‡</sup>	< LOQ	0.40	0.200	pass		Azoxystrobin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Bifentazate <sup>‡</sup>	< LOQ	0.20	0.100	pass		Bifenthrin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Boscalid <sup>‡</sup>	< LOQ	0.40	0.200	pass		Carbaryl <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Carbofuran <sup>‡</sup>	< LOQ	0.20	0.100	pass		Chlorantraniliprole <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Chlorfenapyr <sup>‡</sup>	< LOQ	1.0	0.500	pass		Chlorpyrifos <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Clofentezine <sup>‡</sup>	< LOQ	0.20	0.100	pass		Cyfluthrin <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Cypermethrin <sup>‡</sup>	< LOQ	1.0	0.500	pass		Daminozide <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Diazinon <sup>‡</sup>	< LOQ	0.20	0.100	pass		Dichlorvos <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Dimethoate <sup>‡</sup>	< LOQ	0.20	0.100	pass		Ethoprophos <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Etofenprox <sup>‡</sup>	< LOQ	0.40	0.200	pass		Etoxazole <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Fenoxycarb <sup>‡</sup>	< LOQ	0.20	0.100	pass		Fenpyroximate <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Fipronil <sup>‡</sup>	< LOQ	0.40	0.200	pass		Flonicamid <sup>‡</sup>	< LOQ	1.0	0.400	pass	
Fludioxonil <sup>‡</sup>	< LOQ	0.40	0.200	pass		Hexythiazox <sup>‡</sup>	< LOQ	1.0	0.400	pass	
Imazalil <sup>‡</sup>	< LOQ	0.20	0.100	pass		Imidacloprid <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Kresoxim-methyl <sup>‡</sup>	< LOQ	0.40	0.200	pass		Malathion <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Metalaxyl <sup>‡</sup>	< LOQ	0.20	0.100	pass		Methiocarb <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Methomyl <sup>‡</sup>	< LOQ	0.40	0.200	pass		MGK-264 <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Myclobutanil <sup>‡</sup>	< LOQ	0.20	0.100	pass		Naled <sup>‡</sup>	< LOQ	0.50	0.250	pass	
Oxamyl <sup>‡</sup>	< LOQ	1.0	0.500	pass		Paclobutrazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Parathion-Methyl <sup>‡</sup>	< LOQ	0.20	0.100	pass		Permethrin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Phosmet <sup>‡</sup>	< LOQ	0.20	0.100	pass		Piperonyl butoxide <sup>‡</sup>	< LOQ	2.0	1.00	pass	
Prallethrin <sup>‡</sup>	< LOQ	0.20	0.100	pass		Propiconazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Propoxur <sup>‡</sup>	< LOQ	0.20	0.100	pass		Pyrethrin I (total) <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Pyridaben <sup>‡</sup>	< LOQ	0.20	0.100	pass		Spinosad <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Spiromesifen <sup>‡</sup>	< LOQ	0.20	0.100	pass		Spirotetramat <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Spiroxamine <sup>‡</sup>	< LOQ	0.40	0.200	pass		Tebuconazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Thiacloprid <sup>‡</sup>	< LOQ	0.20	0.100	pass		Thiamethoxam <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Trifloxystrobin <sup>‡</sup>	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed	Method	Status	Notes	
Arsenic <sup>‡</sup>	< LOQ	0.200	mg/kg	0.0958	2305407	03/15/23	AOAC 2013.06 (mod.) <sup>b</sup>	pass		
Cadmium <sup>‡</sup>	< LOQ	0.200	mg/kg	0.0958	2305407	03/15/23	AOAC 2013.06 (mod.) <sup>b</sup>	pass		
Lead <sup>‡</sup>	< LOQ	0.500	mg/kg	0.0958	2305407	03/15/23	AOAC 2013.06 (mod.) <sup>b</sup>	pass		
Mercury <sup>‡</sup>	< LOQ	0.100	mg/kg	0.0479	2305407	03/15/23	AOAC 2013.06 (mod.) <sup>b</sup>	pass		



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 23-002307/D006.R001  
**Report Date:** 04/03/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 02/27/23 11:29

**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>p</sup> = ISO/IEC 17025:2017 accredited method.

**Units of Measure**

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 23-002307/D006.R001  
**Report Date:** 04/03/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 02/27/23 11:29

Revision: 1 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results  
Batch ID: 2301844

JAOAC2015 V986									
Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes	
CBDA	2	0.0987	0.099	%	99.4	80.0 - 120	Acceptable		
CBV	2	0.112	0.106	%	106	80.0 - 120	Acceptable		
CBE	2	0.102	0.102	%	99.7	80.0 - 120	Acceptable		
CBDA	1	0.101	0.096	%	105	90.0 - 110	Acceptable		
CBGA	1	0.0999	0.096	%	104	80.0 - 120	Acceptable		
CBG	1	0.105	0.100	%	105	80.0 - 120	Acceptable		
CB	1	0.102	0.100	%	102	90.0 - 110	Acceptable		
THCV	2	0.0957	0.100	%	95.9	80.0 - 120	Acceptable		
δ8THCV	2	0.105	0.109	%	97.1	80.0 - 120	Acceptable		
THCVA	2	0.0996	0.098	%	101	80.0 - 120	Acceptable		
CBN	1	0.104	0.100	%	104	80.0 - 120	Acceptable		
exo-THC	2	0.0955	0.101	%	95.0	80.0 - 120	Acceptable		
δ9THC	1	0.0985	0.099	%	100	90.0 - 110	Acceptable		
δ8THC	1	0.101	0.102	%	99.7	90.0 - 110	Acceptable		
9Sδ10THC	1	0.101	0.102	%	98.3	80.0 - 120	Acceptable		
CB	2	0.0954	0.100	%	95.5	80.0 - 120	Acceptable		
9Rδ10THC	1	0.0983	0.096	%	102	80.0 - 120	Acceptable		
CB	2	0.103	0.107	%	95.9	80.0 - 120	Acceptable		
THCA	1	0.0972	0.097	%	100	90.0 - 110	Acceptable		
CBGA	2	0.104	0.105	%	99.5	80.0 - 120	Acceptable		
CBLA	2	0.103	0.105	%	98.2	80.0 - 120	Acceptable		
CB	2	0.0919	0.107	%	86.0	80.0 - 120	Acceptable		

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDA	<LOQ	0.077	%	< 0.077	Acceptable	
CBV	<LOQ	0.077	%	< 0.077	Acceptable	
CBE	<LOQ	0.077	%	< 0.077	Acceptable	
CBDA	<LOQ	0.077	%	< 0.077	Acceptable	
CBGA	<LOQ	0.077	%	< 0.077	Acceptable	
CBG	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	
THCV	<LOQ	0.077	%	< 0.077	Acceptable	
δ8THCV	<LOQ	0.077	%	< 0.077	Acceptable	
THCVA	<LOQ	0.077	%	< 0.077	Acceptable	
CBN	<LOQ	0.077	%	< 0.077	Acceptable	
exo-THC	<LOQ	0.077	%	< 0.077	Acceptable	
δ9THC	<LOQ	0.077	%	< 0.077	Acceptable	
δ8THC	<LOQ	0.077	%	< 0.077	Acceptable	
9Sδ10THC	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	
9Rδ10THC	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	
THCA	<LOQ	0.077	%	< 0.077	Acceptable	
CBGA	<LOQ	0.077	%	< 0.077	Acceptable	
CBLA	<LOQ	0.077	%	< 0.077	Acceptable	
CB	<LOQ	0.077	%	< 0.077	Acceptable	

**Abbreviations**  
 ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

**Units of Measure:**  
 % - Percent



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 23-002307/D006.R001  
**Report Date:** 04/03/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 02/27/23 11:29

Revision: 1 Document ID: 7148  
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 2301844						
Sample Duplicate		Sample ID: 23-0022730001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDV	0.130	0.133	0.077	%	2.20	< 20	Acceptable	
CBF	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	34.5	34.9	0.077	%	1.14	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
δ8THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCVΔ	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBN	<LOQ	0.0834	0.077	%	NA	< 20	Acceptable	R2
exo-THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
δ9THC	43.4	43.4	0.077	%	0.0895	< 20	Acceptable	
δ8THC	12.7	12.8	0.077	%	0.610	< 20	Acceptable	
9Saδ10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9Rδ10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBF	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	

Abbreviations

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation
- R2 - Sample replicates RPD non-calculable, as only one replicate is within analytical range.

Units of Measure:

% - Percent



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 23-002307/D006.R001  
**Report Date:** 04/03/2023  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 02/27/23 11:29

\*SAMPLE COA\*



Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

\*SAMPLE

COA\*